(Only for new nonprovisional applications under 37 CFR 1.53(b))

Approved for use through 09/30/2000. OMB 0651-0032

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number 540541-2013.1 Attorney Docket No. PATENT APPLICATION First Inventor or Application Identifier TRANSMITTAL

Anthony J. Cutie, Akwete L Adjei, Frederick A. Sexton A CORE FORMULATION Express Mail Label No. EL250497835US

APPLICATION ELEMENTS See MPEP chapter 600 concerning utility patent application conte	Washington, DC 20231
1.	6.    Microfiche Computer Program (Appendix)  7. Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary)  a.    Computer Readable Copy  b.    Paper Copy (identical to computer copy)  c.    Statement verifying identity of above copies    ACCOMPANYING APPLICATION PARTS    Assignment Papers (cover sheet & documents(s))  9.    37 C.F.R. § 3.73(b) Statement   Power of Attorney (when there is an assignee)  10.    English Translation Document (if applicable)  11.    Information Disclosure   Copies of IDS Statement (IDS)/PTO-1449   Citations  12.    Preliminary Amendment  13.    Return Receipt Postcard (MPEP 503) (Should be specifically itemized)  14.    * Small Entity   Statement filed in prior application. Statements(s) Status still proper and desired (PTO/SB/09-12)  15.    Certified Copy of Priority Document(s) (if foreign priority is claimed)  16.    Other:
Application and is hereby incorporated by reference the	rein. where one has been filed in a prior application and is being relied upon
17. If a CONTINUING APPLICATION, check appropriate bo Continuation Divisional Continua Prior application information: Examiner	x, and supply the requisite information below and in a preliminary amendment.  tion-in-part (CIP) of prior application No.:  Group/Art Unit:
16. CORRI	ESPONDENCE ADDRESS
Customer Number or Bar Code Label (Insert Customer N	o. or Attach bar code label here) or \( \sum \) New correspondence address below
Name  JEROME ROSENSTOCK  FROMMER LAWRENCE & HAUG LLI	A Second Property of the Control of
Address 745 Fifth Avenue	
City New York	State NY Zip Code 10151
Country U.S. Telep	phone (212) 588-0800 Fax (212) 588-0500
Name (Print/Type) JEROME ROSENSTOCK Signature	Registration No. (Attorney/Agent) 25,456  Date October 31, 2000

## FEE TRANSMITTAL

Patent fees are subject to annual revision on October 1
These are the fees effective October 1, 1997.
Small Entity payments <u>must</u> be supported by a small entity statement, otherwise large entity fees must be paid. See Forms PTO/SB/09-12

TOTAL AMOUNT OF PAYMENT

(\$)950.00

•		<u> </u>
	<sup>μ</sup> ~	
Application Number	Not yet assigned	S. 26
Filing Date	Herewith	u.:
First Named Inventor	Anthony J. Cutie	8
Examiner Name	Not yet assigned	90
Group/Art Unit	Not yet assigned	j
Attorney Docket No.	540541-2013.1	

METHOD OF PAYMENT									FEE CALCULATION						
1.  The Commissioner is hereby authorized to charge indicated fees and credit any over payments to						3. AD	3. ADDITIONAL FEES								
Deposit Account	ind				ny over paymente & Haug			Large Fee Code	Entity Fee (S)	Small Fee Code	Entity Fee (\$)	Fee Description	Fee Paid		
Name Deposit	<u> </u>		-					105	130	205		Surcharge - late filing fee or oath			
Account Number				50-0	320			127	50	227	25	Surcharge – late provisional filing fee or Cover sheet			
Charge	anu Addı	tional Fee			Charge the Iss	ue Fee S	Set in 37 CI	139	130	139	130	Non-English specification			
Charge any Additional Fee Charge the Issue Fee Set in 37 CFR Required Under 37 CFR 1 16 and 1.18 at the Mailing of the Notice of						B 141/	2,520	147	2,520	For filing a request of reexamination					
1.17					Allowance			112	920*	112	920*	Requesting publication of SIR prior to Examiner action			
2. 🛛 I	Payment	Enclosed	l					113	1.840*	113	1,840*	Requesting publication of SIR after Examiner action			
	Check		Mone	y Ord	ler _	Oth	er	115	110	215	55	Extension for reply within first month			
		FEE	CALC	UL	ATION			116	380	216	190	Extension for reply within second month			
1. BASIC FILING FEE						117	870	217	435	Extension for reply within third month					
1. BAS	IC FIL	ING F	EE					118	1,360	218	680	Extension for reply within fourth Month			
Large	Entity	Small	Entity			,	E . D . 1	128	1,850	228	925	Extension for reply within fifth month			
Fee Code	Fee (\$)	Fee Code	Fee (\$)	F	ee Description	1 .	Fee Paid	119	300	219	150	Notice of Appeal			
<b>=</b> 101	710	201	355	Utıl	lity filing fee		710.00	120	300	220	150	Filing a brief in support of an appeal			
<b>1</b> 06	320	206	160		sign filing fee			121	260	221	130	Request for oral hearing	ļ		
1407 = FOS	490 710	207 208	245 355		nt filing fee ssue filing fee	-		138	1,510	138	1,510	Petition to institute a public use Proceeding			
114	150	214	75		visional filing f	ee -		140	110	240	55	Petition to revive – unavoidable			
A T T					AL (1)		710.00	141	1,210	241	605	Petition to revive- unintentional			
101								142	1,210	242	605	Utility issue fee (or reissue)			
2. EXT	RA CI	AIM F	FEES					143	430	243	215	Design issue fee			
		I	Extra Claim		Fee from below	I	Fee Paid	144	580	244	290	Plant issue fee			
Total	17	-20** =	0	x	0	] = [	0.00	122	130	122	130	Petitions to the Commissioner			
Ind.	6	-3** =	3	X	80	] = [	240.00	123	50	123	50	Petitions related to provisional Applications			
Multiple D	ependent	t		X		] = [		126	240	126	240	Submission of Information Disclosure Statement			
	or numb	per previo	usly paid, i	if grea	ater; for reissu	es, see l	below	581	40	581	40	Recording each patent assignment per property (times number of properties)	)		
Large Fee	Entity Fee	Small Fee	Entity Fee		Fee Desc	cription	n	146	760	246	380	Filing a submission after final rejection (37 CFR 1 129(a))			
Code	(\$)	Code	(\$)		Lee Dese	cription		149	760	249	380	For each additional invention to be examined (37 CFR 1 129(b))			
103	18	203	9		laims in excess										
102	80 270	202 204	40 135		idependent clair Iultiple depende										
104	210			pa	aid			Other fe	e (specify)			And the second s			
109	80	209	40		** Reissue independent claims over original patent			Other fe	ee (specify)						
110	18	210	9		** Reissue claims in excess of 20 and over original patent										
	490	207	245	P	lant filing fee			, I				r			
107					1							SUBTOTAL (3)	(\$)		
107			SUB	BTOT.	AL (2)		(\$)240.00					SCHIOTAL (5)	(Ψ)		
107			SUB	тот	AL (2)		(\$)240.00	* Redu	ced by Bas	ac Filing I	₹ee	SUBTOTAL (3)			

SUBMITTED BY	Complete (if applicable)					
Typed or Printed Name	JEROME ROSENSTOCK	(1) 11			Reg. Number	25,456
Signature	telone	/ lesetth	Date	10/31/00	Deposit Account	50-0320



## **CERTIFICATE OF MAILING – SEPARATE PAPER**

Attorney Docket No.:

540541-2013.1

Serial No.

Not Yet Known

Filed

Herewith

Applicant(s)

Anthony J. Cutie, Akwete L. Adjei, Frederick A. Sexton

Date of Deposit 10/31/00 via "Express Mail" # EL250497835US

I hereby certify that a Patent Application and related documents for the above-referenced application are being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. 1.10 on the date indicated above and is addressed to:

Box Patent Application Assistant Commissioner for Patents Washington, D.C. 20231

(Typed or printed name of person mailing paper or fee)

(Signature of person mailing paper or fee)

# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE APPLICATION FOR LETTERS PATENT

Docket No. 540541-2013.1

Title: <u>A CORE FORMULATION</u>

Inventors:

Anthony J. Cutie Akwete L. Adjei Frederick A. Sexton

> Jerome Rosenstock, Esq. Registration No. 25,456 FROMMER LAWRENCE & HAUG LLP 745 Fifth Avenue New York, New York 10151 (212) 588-0800

#### A CORE FORMULATION

This application claims priority from U.S. provisional application Serial No. 60/201,057 filed May 1, 2000, which is incorporated herein by reference.

#### BACKGROUND OF THE INVENTION

#### Field of the Invention

This invention relates to a core formulation, and, more particularly, to a core formulation comprising a first layer comprising pioglitazone, which covers at least a portion of a core comprising the biguanide, metformin (i.e., glucophage).

#### Description of the Related Art

Metformin and pioglitazone, or their salts such as the hydrochlorides, maleates, tartrates, etc., are two active ingredients of anti-diabetic drugs that are used to treat diabetic patients, e.g. human beings. These two active agents are administered orally to patients in need thereof in protocols calling for the single administration of either ingredient. Heretofore, there has not been revealed or hinted at combining both ingredients and certainly not a physically combined core formulation comprising both ingredients. The use of such a core formulation is advantageous to patients and prescribers because both medicaments are synergistic to each other in the body when used in the management of blood glucose control, i.e., diabetes.

#### **SUMMARY OF THE INVENTION**

This invention relates to a core formulation, and, more particularly, to a core formulation comprising a first layer comprising pioglitazone hydrochloride, which covers at least a portion of a core comprising a biguanide. A typical biguanide is metformin. It typically is used clinically as a pharmaceutically acceptable salt, preferably the hydrochloride salt. A commercial form of metformin hydrochloride is available as glucophage. Its chemical name is

N,N-dimethylimidodicarbonimidic diamide hydrochloride. Metformin hydrochloride is a hydrochloride salt of metformin base, and as used herein, "metformin" means the base compound as well as its pharmaceutically acceptable salts. Metformin is used clinically to manage non-insulin dependent diabetes mellitus or "NIDDM", particularly in patients who are not effectively treated with a sulfonylurea. While it is not chemically related to the sulfonylureas, it is routinely utilized in combination with a sulfonylurea, and has been shown to be synergistic in some cases. Other biguanides such as phenformin, buformin etc. can also be used. Additionally, in the treatment of a diabetic patient the metformin, for example, and the pioglitazone hydrochloride are present in effective amounts to provide such treatment.

#### DETAILED DESCRIPTION OF THE INVENTION

Metformin is an active ingredient for a commercially available drug employed to treat diabetes mellitus in a host or mammal, e.g. a human being, another animal. The typical daily effective dose for the oral treatment of a mammal, i.e., a human, ranges from 500 mg to 2550 mg. Typically, the dose is a single dose of 500 mg to 850 mg.

Pioglitazone hydrochloride, (ACTOS®), is an active ingredient for a commercially available drug employed to treat diabetes mellitus in a host, e.g. a human being. The typical daily effective dose for the oral administration to a mammal, e.g. a human being, ranges from 15 mg to 45 mg, given as a single dose.

Heretofore, the metformin and pioglitazone hydrochloride have not been administered together to try to improve the effectiveness of either drug, although coadministration of the two has been proposed [Whitcomb; et al., United States Patent No. 6,011,049]. However, a combined form of the drugs, i.e. a single integral unit thereof has not

heretofore been reported. The present invention provides such a single integral unit in the form of a core formulation.

As indicated above, the relative concentrations of each drug is such that a first layer comprising metformin is prepared. The first layer covers at least a portion of a core comprising metformin. Depending upon the rate of administration and metabolism of the patient destined to be treated, and the concentrations of each ingredient desired for each drug, the first layer may cover only a portion of the core or encompass the entire core. For example, one quarter of the core to about three fourths of the tablet core. The first layer should comprise pioglitazone hydrochloride because its dose requirement is lower compared to metformin. Additionally, it is slightly non-polar, its solubility rate slower, and its absorption rate thus dependent on its dissolution rate in the contents of the gastrointestinal tract compared with metformin.

It is to be understood, depending upon the rate of administration to the patient desired, either the first layer or the core may contain a mixture of the two active ingredients or both the first layer and the core may contain the two active ingredients with different and varying concentrations of one or both active ingredients.

The first layer of the core comprises pioglitazone hydrochloride in an amount of 0.01 % to 20% of the total weight of the core formulation, whereas, the metformin in the core is present in an amount of 10% to 97.5% of the total weight of the core formulation.

Where combinations of the two active ingrdients are present in the first layer and/or the core, the amounts of pioglitazone hydrochloride ranges from 1 mg to 45 mg whereas the metformin ranges from 100 mg to 2550 mg.

Finally, it is to be understood that a third pharmacologically active material, e.g. a drug, such as for example sulfonylureas,  $\alpha$ -glucosidase inhibitors, meglitinides, and ACE inhibitors may be employed in an admixture with the active ingredients in the first layer and/or the core.

The alpha.-glucosidase inhibitors [Jean-Bernard Ducep et al., US Patent No. 5,504,078], bisglucosylmoranoline derivatives [UK Patent No. GB 2 088 365 A], and glucosylmoranoline derivatives [European Patent No. 87112480.6] include the following medicaments: 1.5-Dideoxy-4-O(.alpha., D-glucopyranosyl)-1,5-[6,7-dideoxy-7-Dglucoheptopyranosyl)imino]-D-glucitol; 1.5-Dideoxy-4-O(.alpha.,D-glucopyranosyl)-1,5-[(1deoxy-D-fructofuranosyl)imino]-D-glucitol; 1.5-Dideoxy-4-O(.alpha.,D-glucopyranosyl)-1,5-[(4-deoxy-4-D-glucopyranosyl)imino]-D-glucitol; 1.5-Dideoxy-4-O(.alpha.,D-glucopyranosyl)-N-[6-deoxy-1-(6-O-D-glucopyranosyl)-.alpha.-D-glucopyranosyl]-1, 5-imino-D-glucitol; 1.5-Dideoxy-4-O(.alpha.,D-glucopyranosyl)-N-[6,7-dideoxy-l-(6-O-D-glucopyranosyl)-7-.alpha.-D glucoheptopyranosyl]-1,5-imino-D-glucitol; 1.5-Dideoxy-4-O(.alpha.,D-glucopyranosyl)-1,5-[(4-deoxy-4-D-glucopyranosyl)methylimino]-D-glucitol; 1.5-Dideoxy-4-O(.alpha.,Dglucopyranosyl)-N-[4-deoxy-1-(4-O-D-glucopyranosyl)-.alpha.-D-glucopyranosyl]-1,5-imino-Dglucitol; 1.5-Dideoxy-4-O(.alpha.,D-glucopyranosyl)-1,5-{[2(1-Darabinofuranose)ethyl]imino}-D-glucitol; 1.5-Dideoxy-4-O(.alpha.,D-glucopyranosyl)-N-[4deoxy-1-(6-O-D-glucopyranosyl)-.alpha.-D-glucopyranosyl]-1,5-imino-D-glucitol; 1.5-Dideoxy-4-O(.alpha..D-glucopyranosyl)-N-{[4-deoxy-1-(4-O-D-glucopyranosyl)-4-.alpha.-Dglucopyranosyl]methyl}-1,5-imino-D-glucitol; 1.5-Dideoxy-4-O(.alpha.,D-glucopyranosyl)-N-{[4-deoxy-1-(6-O-D-glucopyranosyl)-4-.alpha.-D-glucopyranosyl]methyl}-1,5-imino-Dglucitol: 1.5-Dideoxy-4-O(.alpha.,D-glucopyranosyl)-1,5-[(6-deoxy-1-O-methyl-6-\beta-D-

glucopyranosyl)-imino-D -glucitol; 1.5-Dideoxy-4-O(.alpha., D-glucopyranosyl)-1,5-[(6,7dideoxy-1-O-methyl-7-\(\beta\)-D-glucoheptopyranosyl) imino]-D-glucitol; 1.5-Dideoxy-4-O(.alpha.,D-glucopyranosyl)-1,5-[(1-deoxy-2-O-methyl-\beta-D-fructofuranosyl)imino]-D-glucitol, 1.5-Dideoxy-4-O(.alpha.,D-glucopyranosyl)-1,5-[(4-deoxy-1-O-methyl-4-\beta-Dglucopyranosyl)imino]-D-glucitol; 1.5-Dideoxy-4-O(.alpha.,D-glucopyranosyl)-N-[6-deoxy-1-(1-O-methyl-6-O-B-D-glucopyranosyl)-.alpha.-D -glucopyranosyl]-1,5-imino-D-glucitol; 1.5-Dideoxy-4-O(.alpha.,D-glucopyranosyl)-N-[6,7-dideoxy-1-(1-O-methyl-6-O-β-Dglucopyranosyl)-7-.alpha.-D-glucoheptopyranosyl]-1,5-imino-D-glucitol; 1.5-Dideoxy-4-O(.alpha.,D-glucopyranosyl)-1,5-[(4-deoxy-1-O-methyl-4-B-D-glucopyranosyl)methylimino]-Dglucitol; 1.5-Dideoxy-4-O(.alpha.,D-glucopyranosyl)-N-[4-deoxy-1-(1-O-methyl-4-O-8-Dglucopyranosyl)-.alpha.-D -glucopyranosyl]-1,5-imino-D-glucitol; 1.5-Dideoxy-4-O(.alpha.,Dglucopyranosyl)-1,5-{[2-(1-O-methyl-1-\beta-D-arabinofuranosyl)ethyl]imino}-D-glucitol; 1.5-Dideoxy-4-O(.alpha.,D-glucopyranosyl)-N-[4-deoxy-1-(1-O-methyl-6-O-β-D-glucopyranosyl)-.alpha.-D-glucopyranosyl]-1,5-imino-D-glucitol; 1.5-Dideoxy-4-O(.alpha.,D-glucopyranosyl)-N-{[4-deoxy-1-(1-O-methyl-4-O-\beta-D-glucopyranosyl)-4-.alpha.-D-glucopyranosyl]methyl}-1,5imino-D-glucitol; 1.5-Dideoxy-4-O(.alpha.,D-glucopyranosyl)-N-{[4-deoxy-1-(1-O-methyl-6-Oβ-D-glucopyranosyl)-4-.alpha.-D-glucopyranosyl]methyl}-1,5-imino-D-glucitol; 1.5-Dideoxy-6-O(.alpha.,D-glucopyranosyl)-1,5-[6,7-dideoxy-7-D-glucoheptopyranosyl)imino]-D-glucitol; 1.5-Dideoxy-6-O(.alpha..D-glucopyranosyl)-1.5-[(1-deoxy-D-fructofuranosyl)iminol-D-glucitol; 1.5-Dideoxy-6-O(.alpha.,D-glucopyranosyl)-1,5-[(4-deoxy-4-D-glucopyranosyl)imino]-Dglucitol; 1.5-Dideoxy-6-O(.alpha.,D-glucopyranosyl)-N-[6-deoxy-1-(6-O-D-glucopyranosyl)-.alpha.-D-glucopyranosyl]-1,5-imino-D-glucitol; 1.5-Dideoxy-6-O(.alpha.,D-glucopyranosyl)-N-[6,7-dideoxy-1-(6-O-D-glucopyranosyl)-7-.alpha.-D-glucoheptopyranosyl]-1,5-imino-D-

glucitol;1.5-Dideoxy-6-O(.alpha.,D-glucopyranosyl)-1,5-[(4-deoxy-4-Dglucopyranosyl)methylimino]-D-glucitol; 1.5-Dideoxy-6-O(.alpha.,D-glucopyranosyl)-N-[4deoxy-1-(4-O-D-glucopyranosyl)-.alpha.-D-glucopyranosyl]-1,5-imino-D-glucitol; 1.5-Dideoxy-6-O(.alpha..D-glucopyranosyl)-1,5-{[2(1-D-arabinofuranose)ethyl]imino}-D-glucitol; 1.5-Dideoxy-6-O(.alpha.,D-glucopyranosyl)-N-[4-deoxy-1-(6-O-D-glucopyranosyl)-.alpha.-Dglucopyranosyl]-1,5-imino-D-glucitol; 1.5-Dideoxy-6-O(.alpha.,D-glucopyranosyl)-N-{[4deoxy-1-(4-O-D-glucopyranosyl)-4-.alpha.-D -glucopyranosyl]methyl}-1,5-imino-D-glucitol; 1.5-Dideoxy-6-O(.alpha.,D-glucopyranosyl)-N-{[4-deoxy-1-(6-O-D-glucopyranosyl)-4-.alpha.-D -glucopyranosyl]methyl}-1,5-imino-D-glucitol; 1.5-Dideoxy-6-O(.alpha.,D-glucopyranosyl)-1.5-[(6-deoxy-1-O-methyl-6-B-D-glucopyranosyl) -imino-D-glucitol; 1.5-Dideoxy-6-O(.alpha.,D-glucopyranosyl)-1,5-[(6,7-dideoxy-1-O-methyl-7-\(\beta\)-D-glucoheptopyranosyl) imino]-D-glucitol: 1.5-Dideoxy-6-O(.alpha..D-glucopyranosyl)-1,5-[(1-deoxy-2-O-methyl-β-Dfructofuranosyl)imino]-D-glucitol; 1.5-Dideoxy-6-O(.alpha.,D-glucopyranosyl)-1,5-[(4-deoxy-1-O-methyl-4-β-D-glucopyranosyl)iminol-D-glucitol; 1.5-Dideoxy-6-O(.alpha.,Dglucopyranosyl)-N-[6-deoxy-1-(1-O-methyl-6-O-B-D-glucopyranosyl)-.alpha.-D glucopyranosyl]-1,5-imino-D-glucitol; 1.5-Dideoxy-6-O(.alpha.,D-glucopyranosyl)-N-[6,7dideoxy-1-(1-O-methyl-6-O-B-D-glucopyranosyl) -7-.alpha.-D-glucoheptopyranosyl]-1,5-imino-D-glucitol; 1.5-Dideoxy-6-O(.alpha.,D-glucopyranosyl)-1,5-[(4-deoxy-1-O-methyl-4-β-Dglucopyranosyl)methylimino]-D-glucitol; 1.5-Dideoxy-6-O(.alpha.,D-glucopyranosyl)-N-[4deoxy-1-(1-O-methyl-4-O-\(\beta\)-0. deoxy-1-(1-O-methyl-4-O-\(\beta\)-0. deoxy-1-(1glucitol: 1.5-Dideoxy-6-O(.alpha.,D-glucopyranosyl)-1,5-{[2-(1-O-methyl-1-B-Darabinofuranosyl)ethyl]imino}-D-glucitol; 1.5-Dideoxy-6-O(.alpha.,D-glucopyranosyl)-N-[4deoxy-1-(1-O-methyl-6-O-\(\beta\)-D-glucopyranosyl)-.alpha.-D -glucopyranosyl]-1,5-imino-D-

glucitol; 1.5-Dideoxy-6-O(.alpha.,D-glucopyranosyl)-N-([4-deoxy-1-(1-O-methyl-4-O-β-D-glucopyranosyl)-4-.alpha.-D-glucopyranosyl]methyl}-1,5-imino-D-glucitol; 1.5-Dideoxy-6-O(.alpha.,D-glucopyranosyl)-N-([4-deoxy-1-(1-O-methyl-6-O-β-D-glucopyranosyl)-4-.alpha.-D-glucopyranosyl]methyl}-1,5-imino-D-glucitol.

The list of medicaments includes acid addition salt forms with such inorganic acids such as, for example, hydrochloric, hydrobromic, sulfuric, phosphoric and like acids; with organic carboxylic acids such as, for example, acetic, propionic, glycolic, lactic, pyruvic, malonic, succinic, fumaric, maleic, tartaric, citric, ascorbic, maleic, hydroxymaleic and dihydroxymaleic, benzoic, 2-acetoxybenzoic, mandelic and like acids; and with organic sulfonic acids such as methanesulfonic acid and p-toluenesulfonic acid.

The sulfonylureas are a class of compounds that have been widely employed to treat diabetes. Such compounds are well known, for example as described in U.S. Pat. Nos. 3,454,635; 3,669,966; 2,968,158; 3,501,495; 3,708,486; 3,668,215; 3,654,357; and 3,097,242. Especially preferred sulfonylureas to be employed in the combinations of this invention are glyburide, gliquidone, glipizide, tolbutamide, tolazamide, glisoxepid, chlorpropamide, glibornuride, gliclazide, glimepiride, phenbutamide, and tolcyclamide. Other medicaments, such as, for example an antibiotic, a vitamin, a drug that works on the heart, or in the liver, may be admixed with the active ingredients in the first layer and/or the core.

The resultant core having the first layer thereon is prepared by any conventional means known in the pharmaceutical art, e.g. compression, tabletting technology, spraying technology, or encapsulation in a pharmaceutically acceptable presentation, such as a gelatin capsule. In particular, typically the core formulation of the present invention is preferably fabricated by compression into a tablet.

The resultant core formulation of the present invention is useful to treat diabetes mellitus. Surprisingly the resultant core formulation of the invention is as user friendly and clinically effective as compared to the administration of metformin alone or pioglitazone hydrochloride as demonstrated by co-administration of the two agents [Whitcomb; et al., United States Patent No. 6,011,049], where in general, the incidence of adverse events was not influenced by age or menopausal status, and further, patients treated with the combination therapy attained better glycemic control than with either monotherapy.

It is to be understood, however, that for any particular subject being treated, e.g., a mammal, specific dosage regimens should be adjusted according to the individual need. It is further to be understood that the dosages set forth herein are exemplary only and that they do not, to any extent limit the scope of the practice of the present invention.

The core formulation of the present invention may be administered orally, for example, with inert diluent or with an edible carrier. For the purpose of oral therapeutic administration, the core formulation may have excipients incorporated therein. The subject core formulation may also contain the following adjuvants: a binder such as microcrystalline cellulose, gum tragacanth or gelatin; an excipient such as starch or lactose, a disintegrating agent such as alginic acid, Primogel®, corn starch and the like; a lubricant such as magnesium stearate or Sterotex; a glidant such as colloidal silicon dioxide; and a sweetening agent such as sucrose or saccharin may be added or a flavoring agent such as peppermint, methyl salicylate or orange flavoring.

The subject core formulation of the invention may contain other various materials which modify the physical form of the dosage unit (the subject core formulation), for example, as coatings. Thus, the subject core formulation of the present invention may be coated with

sugar, shellac or other enteric coating agents. Materials used in preparing these various compositions should be pharmaceutically pure and non-toxic in the amounts used.

In an alternative embodiment of the present invention. The resultant core formulation (having a first layer completely or partially covering the core), is treated whereby an outer shell, at least a portion of which comprises a biodegradable material having a predetermined rate of degradation or metabolism in the host being treated, is formed which encloses the particles of the first layer and/or the core.

The biodegradable material is a high molecular weight compound, which is physiologically acceptable and decomposes in the body of the human being or other animal and is absorbed.

The biodegradable material, comprising the outer shell, having a predetermined rate of degradation or metabolism or break down, is selected from those materials well known in the art, which do not react with metformin and/or pioglitazone hydrochloride. Such materials include, biodegradable polymers, such as polyorthoesters, polyanhydrides, polyamides based on glutamic acid, polyalkyl cyanoacrylates, polyesters of lactic and glycolic acid, polyactide polymers, cellulosic polymers, polyvinyl acetate, polyvinyl alcohol, polyvinylchloride, natural and synthetic rubbers, polyacrylates, polystyrene, etc. Additionally, reference is made to U.S. Patents Nos. 4,166,800, and 4,389,330, which disclose additional shell forming materials and are incorporated hereinto by reference in their entirety.

The shell encapsulating the particles of pioglitazone hydrochloride of the first layer and/or the particles of metformin of the core is obtained by any conventional microencapsulation process whereby microspheres of metformin and/or pioglitazone hydrochloride are formed, e.g. a solvent removal process, a phase separation technique,

coacervation etc. In this regard reference is made to U.S. Patents Nos. 4,166,800 and 4,389,330, Conte et al, *J. Controlled Release*, vol. 26, (1993), pages 39-47; and U.S. Patent No. 4,839,177; all of which are incorporated hereinto by reference in their entirety.

In a variation of the above alternative embodiment, the resultant core formulation is treated whereby only the top surface area of the first layer comprising metformin has a shell coating thereon. In this regard, reference is made to U.S. Patent No. 5,916,584, incorporated hereinto by reference in its entirety, which describes the process for forming such a shell. The resulting core formulation having the first layer encapsulated by the shell comprising the shell material, is one which provides a delay time prior to release of the active ingredients, i.e. pioglitazone hydrochloride and metformin, to the patient being treated for diabetes mellitus.

It is to be understood that for either metformin or pioglitazone, any pharmaceutically acceptable form thereof can be employed. Such a form encompasses the free acids, free bases, salts and various hydrate forms, including semi-hydrate forms of these medicaments, as well as other pharmaceutical materials which are used in the formulation process as acceptable excipient materials generally known to those skilled in the art.

It is understood that any one of the biguanides, i.e. drugs having the action of the stimulation of anaerobic glycolysis, is covered by this invention as these, like metformin, increase the sensitivity to insulin in peripheral tissues of the host, e.g. a human being or another animal. These compounds also are involved in the inhibition of glucose absorption from the intestine, suppression of hepatic gluconeogenesis, and inhibition of fatty acid oxidation. Examples of other typical biguanides included in this application are phenformin, buformin etc.

We claim:

- 1. A core formulation comprising,
- (a) a first layer comprising pioglitazone hydrochloride or a pharmaceutically acceptable salt thereof as active ingredient,
- (b) a core, at least a portion of which is enclosed by said first layer, comprising a biguanide as active ingredient.
- 2. The formulation as defined in claim 1 wherein said biguanide is metformin.
- 3. The formulation as defined in claim 2 wherein said pioglitazone hydrochloride is present in an amount ranging from 1 mg to 45 mg and, said metformin is present in an amount ranging from 10 mg to 4000 mg.
- 4. The formulation as defined in claim 2 which further comprises a biodegradable shell having a predetermined rate of degradation covering at least a portion of said first layer to provide a predetermined delay in the time period of release of at least said pioglitazone hydrochloride.
- 5. The formulation as defined in claim 2, wherein said pioglitazone hydrochloride and/or said metformin are present as biodegradable microspheres having a biodegradable shell coating and where said shell coating has a predetermined rate of degradation.
- 6. A method of administering pioglitazone hydrochloride and metformin to a mammal, which comprises treating the mammal with the formulation defined in claim 2.
- 7. A method for producing a controlled release formulation, which comprises:

11 mia1987

- (a) producing a hollow outer shell comprising a biodegradable material having a predetermined rate of degradation to provide a predetermined delay in the time period of release of the contents destined to be enclosed by said shell;
- (b) inserting a core comprising metformin and having an outer layer comprising pioglitazone hydrochloride partially enclosing said core, into said hollow outer shell; and
  - (c) sealing said core within said hollow outer shell.
- 8. A method of producing a combined formulation of pioglitazone hydrochloride and metformin, which comprises:
  - (a) forming a core of the metformin; and
- (b) depositing a layer of pioglitazone hydrochloride on at least a portion of a surface of said core.
- 9. A method of treating diabetes mellitus in a patient in need thereof, which comprises administering to the patient the formulation of claim 1 wherein said active ingredients are each present in an effective amount.
- 10. A pharmaceutical composition comprising an effective amount of pioglitazone hydrochloride combined with an effective amount of metformin.
- 11. A method of treating diabetes mellitus in a patient in need thereof, which comprises, administering to the patient the composition of claim 10.
- 12. A pharmaceutical composition comprising an effective amount of pioglitazone hydrochloride combined with an effective amount of phenformin.
- 13. A pharmaceutical composition comprising an effective amount of pioglitazone hydrochloride combined with an effective amount of buformin.

- 14. A method of treating diabetes mellitus in a patient in need thereof, which comprises, administering to the patient the composition of claim 12.
- 15. A method of treating diabetes mellitus in a patient in need thereof, which comprises, administering to the patient the composition of claim 13.
- 16. A method of treating diabetes mellitus in a patient in need thereof, which comprises, administering to the patient the composition of claim 1 wherein the biguanide is phenformin.
- 17. A method of treating diabetes mellitus in a patient in need thereof, which comprises, administering to the patient the composition of claim 1 wherein the biguanide is buformin.

### **ABSTRACT**

This invention relates to a combination drug product comprising pioglitazone hydrochloride and a biguamide, e.g. metformin. In particular, the product comprises a core of the biguamide, e.g. metformin, at least a portion thereof has a layer or coat thereon of pioglitazone.

14 mia1987